

ACA Prevention Copay Waiver Program Summary

POLICY REVIEW CYCLE

Effective Date 05-15-2024

Date of Origin

OBJECTIVE

Aspirin ACA Prevention:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Bowel Prep:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Breast Cancer:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Contraceptives ACA Prevention:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by Health Resources & Services Administration (HRSA) in support of Women's Preventive Care.

Fluoride Supplement:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF) and Bright Futures/Health Resources & Services Administration (HRSA). Folic Acid:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Human Immunodeficiency Virus (HIV) Infection: Pre-exposure Prophylaxis (PrEP):

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Infant Eye Ointment:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Iron Supplements :

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the Bright Futures/Health Resources & Services Administration (HRSA).

Statin:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF). The USPSTF recommendation requires the calculation of Atherosclerotic Cardiovascular Disease (ASCVD) risk. The calculation requires inputting the patient's sex, age, race, high density lipoprotein (HDL) cholesterol, total cholesterol, blood pressure, whether the patient has diabetes, whether the patient is under treatment for hypertension, and whether the patient is an active smoker.(1)

1. American College of Cardiology and American Heart Association's Atherosclerotic Cardiovascular Disease (ASCVD) calculator. Available at: https://tools.acc.org/ASCVD-Risk-Estimator/ Accessed on 7/27/23. Tobacco:

BCBSIL;BCBSNT;BCBSNM;BCBSOK;BCBSTX;Jade;Topaz;Whole Foods _ Commercial _ CS _ ACA Prevention Copay Waiver _ 05-15-2024 _ © Copyright Prime Therapeutics LLC. April 2024 All Rights Reserved Page 1 of 4 The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the United States Preventative Services Task Force (USPSTF).

Vaccine:

The intent of the ACA Prevention Copay Waiver Criteria is to help ensure the copay waiver, when applicable based on the member's benefit, is applied to the appropriate population as described by the Advisory Committee on Immunization Practices (ACIP) and Centers for Disease Control (CDC) in support of routine immunizations for children, adolescents, and adults.

Clinical Criteria for Approval Module Aspirin The requested aspirin will be approved when ALL of the following are met: ACA Preventio 1. The requested agent is medically necessary **AND** n Copay 2. The requested agent is the 81 mg strength aspirin **AND** Waiver 3. The patient is pregnant, at high risk of preeclampsia, and using the requested agent after 12 Criteria weeks of gestation AND 4. The member's benefit includes ACA Preventative Care for the category requested Length of Approval: 9 months Bowel The requested bowel prep agent will be approved when ALL of the following are met: Prep Agents 1. The requested agent is medically necessary **AND** ACA 2. The requested agent will be used for the preparation of colorectal cancer screening using fecal Preventio occult blood testing, sigmoidoscopy, or colonoscopy AND n Copay 3. The patient is 45 years of age or over AND Waiver 4. The member's benefit includes ACA Preventive Care for the category requested Criteria Length of Approval: 12 months Breast The requested breast cancer primary prevention agent will be approved when ALL of the following are Cancer met: Primary Preventio 1. The requested agent is medically necessary **AND** n Agent 2. The requested agent is tamoxifen, raloxifene, or aromatase inhibitor (anastrozole, exemestane, ACA letrozole) AND Copav 3. The patient is 35 years of age or over AND Waiver 4. The agent is requested for the primary prevention of breast cancer AND Criteria 5. The member's benefit includes ACA Preventative Care for the category requested Length of Approval: 12 months Contracep The requested contraceptive agent will be approved when ALL of the following are met: tives ACA Preventio 1. The requested agent is being used for contraception **AND** n Copay 2. The requested agent is medically necessary AND Waiver 3. The member's benefit includes ACA Preventative Care for the category requested Criteria Length of Approval: 12 months Fluoride The requested fluoride supplement agent will be approved when ALL of the following are met: suppleme nt ACA 1. The member's benefit includes ACA Preventative Care for the category requested AND Preventio 2. The requested agent is medically necessary **AND** n Copay 3. The patient is 6 months to 16 years of age Waiver Criteria Length of Approval: 12 months

CLINICAL CRITERIA FOR APPROVAL

Module	Clinical Criteria for Approval
Folic Acid ACA	The requested folic acid agent will be approved when ALL of the following are met:
Preventio n Copay Waiver Criteria	 TThe member's benefit includes ACA Preventative Care for the category requested AND The requested agent is medically necessary AND The requested folic acid supplement contains 0.4-0.8 mg of folic acid AND The requested folic acid supplement is to be used in support of pregnancy AND
	Length of Approval: 12 months
Human Immunod eficiency Virus	The requested HIV infection pre-exposure prophylaxis (PrEP) agent will be approved when ALL of the following are met:
(HIV) Infection: Pre- exposure Prophylax is (PrEP)	 The member's benefit includes ACA Preventative Care for the category requested AND The requested agent is being used for PrEP AND The requested agent is medically necessary AND The patient has increased risk for HIV infection AND The patient has recently tested negative for HIV
ACA Preventio n Copay Waiver Criteria	Length of Approval: 12 months
Infant Eye	The requested infant eye ointment agent will be approved when ALL of the following are met:
Ointment ACA Preventio n Copay Waiver	 The member's benefit includes ACA Preventative Care for the category requested AND The requested agent is medically necessary AND The patient is 3 months of age or younger AND The requested agent is requested for the prevention of gonococcal ophthalmia neonatorum
Criteria	Length of Approval: 3 months
Iron Suppleme nts ACA Preventio n Copay Waiver	 The requested iron supplement will be approved when ALL of the following are met: 1. The member's benefit includes ACA Preventative Care for the category requested AND 2. The requested agent is medically necessary AND 3. The patient is under 12 months of age AND
Criteria	4. The patient is at increased risk for iron deficiency anemia
	Length of Approval: 12 months
Statin ACA Preventio n Copay Waiver Criteria	 The requested statin will be approved when ALL of the following are met: 1. The member's benefit includes ACA Preventative Care for the category requested AND 2. The requested agent is medically necessary AND 3. The requested statin is for use in the primary prevention of cardiovascular disease (CVD) AND 4. The patient is 40-75 years of age (inclusive) AND 5. The patient has at least one of the following risk factors: A. Dyslipidemia B. Diabetes C. Hypertension D. Smoking AND 6. The patient has a calculated 10-year risk of a cardiovascular event of 10% or greater per the American College of Cardiology and American Heart Association's Atherosclerotic Cardiovascular Disease (ASCVD) calculator
	Length of Approval: 12 months

Module	Clinical Criteria for Approval
Tobacco Cessation ACA Preventio n Copay Waiver Criteria	 The requested tobacco cessation agent will be approved when ALL of the following are met: 1. The member's benefit includes ACA Preventative Care for the category requested AND 2. The patient is a non-pregnant adult AND 3. The requested agent is medically necessary AND Length of Approval: 12 months
Vaccine ACA Preventio n Copay Waiver Criteria	 The requested vaccine will be approved when ALL of the following are met: The member's benefit includes ACA Preventative Care for the category requested AND The requested agent is medically necessary AND The requested vaccine will be used per the recommendations of the Advisory Committee on Immunization Practices/CDC
	Length of Approval: 12 months